

metabo[®]
work. don't play.

NEW!

CHOICE CUTS™

Job matched thin cut-off wheels from
Metabo, the Original Slicer Wheel company.



A CUTTING WHEEL THAT OUTPERFORMS YOUR EXPECTATIONS.

Check out Metabo's NEW line of CHOICE CUTS™ Slicer Wheels!

Engineered abrasive / resin combinations
Speed and duty life optimized for each type

Safety assured
All slicer wheels designed with 2 full layers high strength fiberglass for safety

Quality assured
Each type features job matched premium abrasive grains and engineered resin bond formulas

Controlled thickness tolerances and exact formulations create cooler, faster, longer lasting wheels

Performance
Consistent performance time after time



**Steel/
Stainless
Steel**

ATTENTION:
Before using this product you must read the ANSI Safety Code and comply with all requirements. In addition: Do not use on high speed electric sanders. Inspect before use. Discard if damaged. Wear goggles. Safety guard must be used. Start grinder with wheel away from you. Wheel temperature must not exceed 1000 RPM as marked. Use with care and in a safe manner.



Made in USA

4 WHEEL TYPES SAVE YOU TIME AND MONEY!



Original Slicer:

Fastest Cutting, Flexibility .040 Thick, A60TZ

General purpose aluminum oxide wheel for steel and stainless steel rod / rebar. Extremely fast, burr free, cool-cutting. Flexibility for flush cutting.



LongLife Original Slicer:

Long Lasting Toughness 1/16" Thick, A36TZ

Engineered general purpose aluminum oxide wheel for longer life cutting pipe, thin wall steel and stainless steel tubing, sheet metal as well as bar stock. Excellent service life.



Slicer-Plus:

Aggressive, Cool-Cutting, Long Life Wheel .045 Thick, A60TX


Specially engineered with coated aluminum oxide, proprietary bond for toughest applications, thicker sectional cuts in steels, stainless steels, heavy rebar, harder metals, heavy wall pipe and angle iron.



Super-Slicer:

Extreme Performance Engineered Wheel .045 Thick, A60XP

Blended high performance abrasive grains and bonds free of Chlorine, Sulfur and Iron specifically designed for hardened metals, stainless steels, high tensile alloys, hastalloys, inconel, titanium.



CHOICE CUTS™

Available in a wide range of sizes; 2" to 9" diameter and in type 1 straight and type 27 depressed center wheels.



TYPE 1

Size	Specification	Order No.	Max RPM
4-1/2" x .040 x 7/8	Original Slicer	655331000	15,000
5" x .040 x 7/8	Original Slicer	655334000	12,225
6" x .040 x 7/8	Original Slicer	655339000	10,200
4-1/2" x 1/16 x 7/8	LongLife Original Slicer	655332000	15,000
5" x 1/16 x 7/8	LongLife Original Slicer	655335000	12,225
6" x 1/16 x 7/8	LongLife Original Slicer	655344000	10,200
4-1/2" x .045 x 7/8	Slicer-Plus	655997000	15,000
6" x .045 x 7/8	Slicer-Plus	655998000	10,200
4-1/2" x .045 x 7/8	Super-Slicer	655994000	15,000
6" x .045 x 7/8	Super-Slicer	655995000	10,185

TYPE 27

Size	Specification	Order No.	Max RPM
4-1/2" x .040 x 7/8	Original Slicer	655346000	13,300
6" x .040 x 7/8	Original Slicer	655347000	10,200
4-1/2" x 1/16 x 7/8	LongLife Original Slicer	655349000	15,000
6" x 1/16 x 7/8	LongLife Original Slicer	655350000	10,200
4-1/2" x .045 x 7/8	Slicer-Plus	655351000	15,000
6" x .045 x 7/8	Slicer-Plus	655352000	10,185

See our full-line catalog for the complete offering of sizes and types to suit your specific application.

Always comply with ANSI B7.1 and OSHA requirements.



New!
Metal Masters™



A NEW range of 4-1/2", 5", and 6" angle grinders from Metabo.

- **New!** Cool Flow technology for even longer service life
- **New!** Dual Comfort Grip positions
- **New!** Double Lipped Labyrinth sealed bearings for longer maintenance intervals
- **New!** Encapsulated switch and Carbon Brushes for longer life in extreme conditions
- **New!** Metabo disc brake for improved safety
- Exclusive 'Quick' Tool-less wheel change system
- Metabo S-Automatic safety clutch
- The Metabo "LongLife" motor
- MVT Anti-Vibration side handle

US711

1231 Wilson Drive
West Chester, PA 19380
800-638-2264 Fax: 800-638-2261
info@metabousa.com
www.metabousa.com

metabo®
work. don't play.